#### **SAFETY DATA SHEET**

### **SECTION I: IDENTIFICATION**

C.A.T. Products, Inc. May be used to comply with OSHA's 103 Gypsum Rd Hazard Communication Standard Stroudsburg, PA 18360 29CFR 1910.1200. Standard

(800) 872-8921

must be consulted for specific requirements.

24 hr. emergency phone ChemTel 1-800-255-3924

Trade Name: 3713 GDI Synthetic Oil Treatment Concentrate (Blend)

Product Code: CP-SI 368

Product Type & Use: Consumer (retail) Product

#### SECTION II: HAZARDS IDENTIFICATION

**GHS Signal Word GHS Pictograms** 

Danger

Precautionary Statements May be fatal if swallowed and enters airways Causes skin irritation Keep out of reach of children

# SECTION III: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients **CAS Numbers** Range % Distillates (petroleum) hydrotreated light paraffinic 64742-55-8 70-90 12-15 Mineral oil Not Available Confidential 1.5-3 Heterocyclic ether Zinc alkyl dithiophosphate 84605-29-8 1.5-3

# **SECTION IV: FIRST-AID MEASURES**

EMERGENCY AND FIRST AID PROCEDURES:

Eyes: Flush with large amounts of water for 15 minutes.

Dermal: Wash with plenty of soap and water. Remove contaminated clothing and shoes.

Inhalation: Remove victim to fresh air.

Ingestion: Do not induce vomiting. Get medical attention or call poison control.

# **SECTION V: FIRE-FIGHTING MEASURES**

Extinguishing Media: Dry chemical foam, or water fog.

Special Fire Fighting Procedures: Protect against decomposition products. Wear Self-Contained Breathing

Apparatus.

Unusual Fire & Explosion Hazards: Heating of non-vented container may cause explosion. Keep surrounding

containers cool with water spray.

Stability: Stable.

Contact with open flame. Conditions to Avoid:

Hazardous Decomposition Products: Carbon Monoxide and unidentified organic compounds may be formed during

combustion.

Hazardous Polymerization: Will not occur.

### SECTION VI: ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Dike area. Remove all sources of ignition. Ventilate area if necessary. Absorb free liquid with earth, sand, clay, or absorbent pads and place in non-leak containers for disposal. Flush area for trace residue and dispose of as below.

#### WASTE DISPOSAL METHOD:

In accordance with Federal, State, and Local Laws.

#### **SECTION VII: HANDLING AND STORAGE**

Protect against physical damage. Store in a cool, dry, well-ventilated location away from any area where fire hazards may be acute. Outside or detached storage is preferred. Separate from incompatibles. Containers should be bonded and grounded for transfers to avoid sparks. Storage and use areas should be NO SMOKING areas. Use non-sparking type tools and equipment, including explosion proof ventilation. Containers of this material may be hazardous when empty since they retain product residues (vapor, liquid); observe all warnings listed for the product. Do not attempt to clean empty containers since residue is difficult to remove. DO NOT pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, sparks, flame, static electricity, or other sources of ignition: they may explode and cause injury or death.

# SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection: Normally not needed in a well-ventilated area.

Ventilation: Mechanical to maintain good airflow.

Protective Gloves: Rubber.

Eye Protection: Goggles or safety glasses.

Other: As needed to minimize exposure.

Hygienic Practices: Always wash face and hands after contact.

#### SECTION IX: TYPICAL PHYSICAL AND CHEMICAL PROPERTIES

Flash Point: >200°F ASTM D56 Tag Closed Cup

Boiling Point: Not Available
Specific Gravity (H<sub>2</sub>O=1): 0.85-0.95 @ 25°C
Solubility in Water: Nil

Viscosity: Water-like

Appearance & Odor: Light Green/Amber, slight hydrocarbon odor

Note: Not all tests are conducted routinely. It is recommended that you conduct your own tests.

#### **SECTION X: STABILITY AND REACTIVITY**

Stability: Stable.

Conditions to Avoid: Contact with open flame.

Hazardous Decomposition Products: Carbon Monoxide and unidentified organic compounds may be formed

during combustion.

Hazardous Polymerization: Will not occur.

# SECTION XI: TOXICOLOGICAL INFORMATION

SIGNS AND SYMPTOMS OF EXPOSURE:

Eyes: Irritation, redness.

Dermal: Dryness, irritation, redness.

Inhalation: Vapors may irritate nose, throat, or respiratory tract. Ingestion: Nausea, vomiting, dizziness, headache, blurred vision.

Acute Health Hazards: Irritation of skin and eyes.

Chronic Health Hazards: Not available.

# SECTION XII: ECOLOGICAL INFORMATION

No data available at this time.

# SECTION XIII: DISPOSAL CONSIDERATIONS

Whatever cannot be saved for recovery and recycling should be handled as hazardous waste and disposed of in accordance with State, Federal, and Local laws.

# **SECTION XIV: TRANSPORT INFORMATION**

NOTE: Information in this section (Section 14) is presented as a guide only. Requirements may vary depending upon package size and exceptions used, if any. Follow current, applicable requirements under DOT, TDG, IMO/IMDG, ICAO/IATA to ensure regulatory compliance.

DOT: Not Regulated

CANADIAN TDG: Not Regulated

IMDG: Not Regulated

IATA: Not Regulated

# SECTION XV: REGULATORY INFORMATION

This product requires a proposition 65 statement.

#### **SECTION XVI: OTHER INFORMATION**

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in the use of this material.