SAFETY DATA SHEET

SECTION I: IDENTIFICATION

C.A.T. Products, Inc. (Run-Rite) 103 Gypsum Rd Stroudsburg, PA 18360 (800) 872-8921 24 hr. emergency phone ChemTel 1-800-255-3924 May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.

Trade Name:	Run-Rite Oil Stabilizer	
Part Number:	3075	
Product Code:	CP-SL376	
Product Type & Use:	Consumer (retail) Product, Oil Stabilizer	

SECTION II: HAZARDS IDENTIFICATION

GHS Signal Word:	GHS Pictogram:	Hazard Classification & Category:	Hazard Statement:
None	None	None	None

This product is not considered hazardous by the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

PRECAUTIONARY STATEMENTS

<u>General</u> :	If medical advice is needed, have product container or label at hand. Keep out of reach of children.
	Read label before use.
Prevention:	None
Response:	None
Storage:	None
Disposal:	None

SECTION III: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient

CAS Number

Range %

Non-hazardous material

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION IV: FIRST-AID MEASURES

EMERGENCY AND FIRST AID PROCEDURES:

- **Inhalation:** Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell.
- **Dermal:** Wash with soap and water. Take off all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

Ingestion: Rinse mouth with water. If symptoms develop: Get medical advice or attention.

SECTION V: FIREFIGHTING MEASURES

Flash Point: 135°C (275°F)

Extinguishing Media: Drive powder, foam, or carbon dioxide fire extinguishers. Water may be ineffective in fighting an oil fire unless used by experienced fire fighters.

Special Fire Fighting Procedures: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored.

SECTION VI: ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

<u>Personal precautions, protective equipment and emergency procedures</u>: Caution – slip hazard. Eliminate all ignition sources and ventilate the area. Wear appropriate protective equipment.

<u>Methods and Materials for Containment and Clean-up</u>: Stop spill at the source if it is safe to do so. Contain spilled material. Collect in suitable and properly labeled containers. Pick up excess with inert absorbent material. Dispose of in accordance with local, regional, and national regulations.

Environmental Precautions: Prevent entry into storm sewers and waterways. Report spill as required by local and national regulations. Notify the National Response Center if a spill of any amount enters navigable waters, the contiguous zone, or adjoining shorelines.

SECTION VII: HANDLING AND STORAGE

<u>Precautions for Safe Handling</u>: Avoid contact with eyes, skin, and clothing. Keep away from sources of ignition. Hand with care and avoid spillage on the floor (slippage). Do not cut, weld, drill, grind, braze, or solder container.

Conditions for Safe Storage: Store away from sources of ignition.

SECTION VIII: EXPOSURE CONTROLS/PERSONAL PROTECTIVE EQUIPMENT

 Respiratory Protection:
 Normally not needed in a well-ventilated area

 Ventilation:
 Mechanical to maintain good airflow

 Protective Gloves:
 Rubber

 Eye Protection:
 Goggles or safety glasses

 Other:
 As needed to minimize exposure

 Hygienic Practices:
 Always wash face and hands after contact

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point and Boiling Range: Flash Point: Evaporation Rate: Flammability (Solid, Gas): Upper/Lower Flammability or Explosive Limits: Vapor Pressure:	Amber Liquid Petroleum Odor Not Available Not Available Not Available 135°C (275°F) ASTM D56 Tag Closed Cup Not Available Not Available Not Available Not Available
Initial Boiling Point and Boiling Range:	Not Available
Flash Point:	135°C (275°F) ASTM D56 Tag Closed Cup
Evaporation Rate:	Not Available
Flammability (Solid, Gas):	Not Available
Upper/Lower Flammability or Explosive Limits:	Not Available
Vapor Pressure:	Not Available
Vapor Density:	Not Available
Relative Density @ 25°C (H ₂ O=1):	0.86 @ 15.6°C (60°F)
Solubility(les):	nil
Partition Coefficient: N-Octanol/Water:	Not Available
Auto-Ignition Temperature:	Not Available
Decomposition Temperature:	Not Available
Viscosity @ 25°C:	Not Available

Note: Not all tests are conducted routinely. It is recommended that you conduct your own tests.

SECTION X: STABILITY AND REACTIVITY

Stability: Stable under normal conditions

Conditions to Avoid: High temperatures, sparks, and open flame

Materials to Avoid: Strong Oxidizing Agents

<u>Hazardous Decomposition</u>: Combustion will produce carbon dioxide and possibly toxic chemicals such as carbon monoxide

SECTION XI: TOXICOLOGICAL INFORMATION

Repeated skin contact with this product may cause dermatitis or an oil acne.

No test data is available on product.

No component is listed as carcinogen, mutagen, or teratogen.

LD50 / LC50 - No data available.

SECTION XII: ECOLOGICAL INFORMATION

Avoid exposing to the environment, no specific aquatic data available.

SECTION XIII: DISPOSAL CONSIDERATION

Dispose of waste material in accordance with all local, regional, and national regulations.

SECTION XIV: TRANSPORT INFORMATION

NOTE: Information in this section (Section 14) is presented as a guide only. Requirements may vary depending upon package size and exceptions used, if any. Follow current, applicable requirements under DOT, TDG, IMO/IMDG, ICAO/IATA to ensure regulatory compliance.

DOT:	Not regulated
CANADIAN TDG:	Not regulated
IMDG:	Not regulated
IATA:	Not regulated

SECTION XV: REGULATORY INFORMATION

This product does not require a proposition 65 statement.

SECTION XVI: OTHER INFORMATION

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in the use of this material.

Issue Date: December 21, 2017 Revision Date: