



CAT Products/Run-Rite

3089 Premium Synthetic Oil Stabilizer

SDS Number: Sample

Revision Date: 8/3/2024

Page 1 of 3

**1** PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer**

CAT Inc/ Run-Rite  
103 Gypsum Rd  
Stroudsburg, PA 18360

Phone: 1570-402-1154

Product Name: 3089 Premium Synthetic Oil Stabilizer  
Revision Date: 8/3/2018  
SDS Number: Sample  
CAS Number: Blend

For emergencies contact Chemtrec at 1-800-424-9300

**2** HAZARDS IDENTIFICATION

**Classification of the Substance or Mixture**

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):  
None, None, None

**GHS Label Elements, Including Precautionary Statements**

GHS Signal Word: NONE

**GHS Hazard Pictograms:**

no GHS pictograms indicated for this product

**GHS Hazard Statements:**

H000 - None

**GHS Precautionary Statements:**

no GHS precautionary statements indicated

**3** COMPOSITION/INFORMATION OF INGREDIENTS

**Ingredients:**

Cas# % Chemical Name

\*\*\*\*\* >98% Non-hazardous material

**4** FIRST AID MEASURES

**Inhalation:** If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.  
**Skin Contact:** Wash with soap and water. Remove contaminated clothing and wash before reuse. Get medical attention if needed.  
**Eye Contact:** Flush with water for several minutes. If effects occur, consult a physician.  
**Ingestion:** Rinse mouth with water. If symptoms develop, obtain medical attention.

**3089 Premium Synthetic Oil Stabilizer**

SDS Number: Sample

Revision Date: 8/3/2024

Page 2 of 3

**5 FIRE FIGHTING MEASURES****Flash Point:** >293 C (>560 F)

Use dry powder, foam, or carbon dioxide fire extinguishers.

Water may be ineffective in fighting an oil fire unless used by experienced fire fighters.

**6 ACCIDENTAL RELEASE MEASURES**

Contain spilled material.

Collect in suitable and properly labeled containers.

Pick up excess with inert absorbant material

Keep away from drains and ground water.

**7 HANDLING AND STORAGE****Handling Precautions:** Avoid contact with eyes, skin, or clothing.  
Keep away from sources of ignition.  
Handle with care and avoid spillage on the floor (slippage).  
Do not cut, weld, drill, grind, braze, or solder container.**Storage Requirements:** Keep away from sources of ignition.**8 EXPOSURE CONTROLS/PERSONAL PROTECTION****Engineering Controls:** All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94).**Personal Protective Equipment:** Use of safety glasses and gloves is recommended.**9 PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Yellow	<b>Odor:</b>	Petroleum-like
<b>Physical State:</b>	Liquid	<b>Solubility:</b>	Nil in water
<b>Spec Grav./Density:</b>	0.89 at 60 F (Water = 1)	<b>Freezing/Melting Pt.:</b>	Not available
<b>Viscosity:</b>	28 cSt at 100 degrees C	<b>Flash Point:</b>	>293 C (>560 F)
<b>Boiling Point:</b>	Not available	<b>Vapor Density:</b>	Not available
<b>Flammability:</b>	Not available	<b>Bulk Density:</b>	7.41 lbs/gal
<b>Partition Coefficient:</b>	Not available	<b>UFL/LFL:</b>	Not available
<b>Vapor Pressure:</b>	Not available		
<b>pH:</b>	Not available		
<b>Evap. Rate:</b>	Not available		
<b>Decomp Temp:</b>	Not available		

**10 STABILITY AND REACTIVITY****Chemical Stability:** Product is stable under normal conditions.**Conditions to Avoid:** Excessive temperatures and open flame.**Materials to Avoid:** Strong Oxidizing Agents.**Hazardous Decomposition:** Combustion will produce carbon dioxide and, possibly toxic chemicals such as carbon monoxide.**Hazardous Polymerization:** Will not occur.

CAT Inc/Run-Rite.

**3089 Premium Synthetic Oil Stabilizer**

SDS Number: Sample

Revision Date: 8/3/2018

Page 3 of 3

**11 TOXICOLOGICAL INFORMATION**

Repeated skin contact with this product may cause dermatitis or an oil acne.  
 No test data available on product.  
 No component is listed as a carcinogen, mutagen, or teratogen.  
 LD50 / LC50 - No data available

**12 ECOLOGICAL INFORMATION**

Avoid exposing to the environment, no specific aquatic data available.

**13 DISPOSAL CONSIDERATIONS**

Dispose of waste material in accordance with all local, state/provincial, and national requirements.  
 Do not flush to surface water or drains.

**14 TRANSPORT INFORMATION**

DOT: Not regulated as a dangerous goods  
 IATA: Not regulated as a dangerous goods  
 IMDG: Not regulated as a dangerous goods

**15 REGULATORY INFORMATION**

Component (CAS#) [%] - CODES

-----  
 Non-hazardous material (0) [>98%] GADSL, REACH

Regulatory CODE Descriptions

-----  
 GADSL = Global Automotive Declarable Substance List (GADSL)  
 REACH = REACH List of Substances of Very High Concern (RSL)

**16 OTHER INFORMATION**

The information contained in this Safety Data Sheet relates only to the specific material designated. Allegheny Petroleum Products Co. assumes no legal responsibility for use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Allegheny Petroleum Products Co.

## CAT Inc/Run-Rite

## 3089 Premium Synthetic Oil Stabilizer

SDS Number: Sample

Revision Date: 8/3/2018

Page 1 of 3

**1 PRODUCT AND COMPANY IDENTIFICATION****Manufacturer**

Allegheny Petroleum Products Co.  
999 Airbrake Avenue  
Wilmerding, PA 15148

Phone: 1-412-829-1990

Product Name: CAT Synthetic Blend X Blend  
Revision Date: 8/3/2018  
SDS Number: Sample  
CAS Number: Blend

For emergencies contact Chemtrec at 1-800-424-9300

**2 HAZARDS IDENTIFICATION****Classification of the Substance or Mixture**

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):  
None, None, None

**GHS Label Elements, Including Precautionary Statements**

GHS Signal Word: NONE

**GHS Hazard Pictograms:**

no GHS pictograms indicated for this product

**GHS Hazard Statements:**

H000 - None

**GHS Precautionary Statements:**

no GHS precautionary statements indicated

**3 COMPOSITION/INFORMATION OF INGREDIENTS****Ingredients:**

Cas#	%	Chemical Name
*****	>98%	Non-hazardous material

**4 FIRST AID MEASURES**

**Inhalation:** If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.  
**Skin Contact:** Wash with soap and water. Remove contaminated clothing and wash before reuse. Get medical attention if needed.  
**Eye Contact:** Flush with water for several minutes. If effects occur, consult a physician.  
**Ingestion:** Rinse mouth with water. If symptoms develop, obtain medical attention.

## CAT Inc/Run-Rite

## 3089 Premium Synthetic Oil Stabilizer

SDS Number: Sample

Revision Date: 8/3/2018

Page 2 of 3

**5 FIRE FIGHTING MEASURES****Flash Point:** >293 C (>560 F)

Use dry powder, foam, or carbon dioxide fire extinguishers.

Water may be ineffective in fighting an oil fire unless used by experienced fire fighters.

**6 ACCIDENTAL RELEASE MEASURES**

Contain spilled material.

Collect in suitable and properly labeled containers.

Pick up excess with inert absorbant material

Keep away from drains and ground water.

**7 HANDLING AND STORAGE**

**Handling Precautions:** Avoid contact with eyes, skin, or clothing.  
 Keep away from sources of ignition.  
 Handle with care and avoid spillage on the floor (slippage).  
 Do not cut, weld, drill, grind, braze, or solder container.

**Storage Requirements:** Keep away from sources of ignition.

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Engineering Controls:** All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94).

**Personal Protective Equipment:** Use of safety glasses and gloves is recommended.

**9 PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Yellow	<b>Odor:</b>	Petroleum-like
<b>Physical State:</b>	Liquid	<b>Solubility:</b>	Nil in water
<b>Spec Grav./Density:</b>	0.89 at 60 F (Water = 1)	<b>Freezing/Melting Pt.:</b>	Not available
<b>Viscosity:</b>	28 cSt at 100 degrees C	<b>Flash Point:</b>	>293 C (>560 F)
<b>Boiling Point:</b>	Not available	<b>Vapor Density:</b>	Not available
<b>Flammability:</b>	Not available	<b>Bulk Density:</b>	7.41 lbs/gal
<b>Partition Coefficient:</b>	Not available	<b>UFL/LFL:</b>	Not available
<b>Vapor Pressure:</b>	Not available		
<b>pH:</b>	Not available		
<b>Evap. Rate:</b>	Not available		
<b>Decomp Temp:</b>	Not available		

**10 STABILITY AND REACTIVITY**

**Chemical Stability:** Product is stable under normal conditions.

**Conditions to Avoid:** Excessive temperatures and open flame.

**Materials to Avoid:** Strong Oxidizing Agents.

**Hazardous Decomposition:** Combustion will produce carbon dioxide and, possibly toxic chemicals such as carbon monoxide.

**Hazardous Polymerization:** Will not occur.

## CAT Inc/Run-Rite

**3089 Premium Synthetic Oil Stabilizer**

SDS Number: Sample

Revision Date: 8/3/2018

Page 3 of 3

**11 TOXICOLOGICAL INFORMATION**

Repeated skin contact with this product may cause dermatitis or an oil acne.  
 No test data available on product.  
 No component is listed as a carcinogen, mutagen, or teratogen.  
 LD50 / LC50 - No data available

**12 ECOLOGICAL INFORMATION**

Avoid exposing to the environment, no specific aquatic data available.

**13 DISPOSAL CONSIDERATIONS**

Dispose of waste material in accordance with all local, state/provincial, and national requirements.  
 Do not flush to surface water or drains.

**14 TRANSPORT INFORMATION**

DOT: Not regulated as a dangerous goods  
 IATA: Not regulated as a dangerous goods  
 IMDG: Not regulated as a dangerous goods

**15 REGULATORY INFORMATION**

Component (CAS#) [%] - CODES

Non-hazardous material (0) [>98%] GADSL, REACH

Regulatory CODE Descriptions

-----  
 GADSL = Global Automotive Declarable Substance List (GADSL)  
 REACH = REACH List of Substances of Very High Concern (RSL)

**16 OTHER INFORMATION**

The information contained in this Safety Data Sheet relates only to the specific material designated. Allegheny Petroleum Products Co. assumes no legal responsibility for use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Allegheny Petroleum Products Co.